

Ethylene Glycol Ether Product Specifications

Glycol Ether HE

Heavy Ethylene Glycol Monoethyl Ether

CAS# 111-90-0: Diethylene glycol Monoethyl Ether

CAS# 112-50-5: Triethylene glycol Monobutyl Ether

Description	Clear to pale yellow viscous liquid substantially free of suspended matter.	
Specifications	Triethylene Glycol Monoethyl Ether and higher molecular weight Monoethyl Ethers, wt. % min.	80.0
	Diethylene Glycol Monoethyl Ether, wt. % max.	15.0
	Water, wt. % max.	0.1
	pH, alcoholic (50/50)	7.5-11.0
	Color (APHA) max.	100
Typical Properties	Specific gravity at 20/20°C	0.999 - 1.6
	Minimum Boiling Point °C (°F)	220 (428)
General Applications	HE may be used as an additive in many applications, including the production of asphalts, inks, cleaning compounds, concretes, well drilling fluids, anti-freeze, brake fluids and hydraulic fluids.	
Availability	This product is available in tank truck or rail car quantities from Lyondell's Bayport, TX, facility.	

The information on this document is, to our knowledge, true and accurate. However, since the particular uses and the actual conditions of use of our products are beyond our control, establishing satisfactory performance of our products for the intended application is the customer's sole responsibility. All uses of Third Coast Chemicals products and any written or oral information, suggestions or technical advice from Third Coast Chemicals are without warranty, express or implied, and are not an inducement to use any process or product in conflict with any patent.

Third Coast Chemicals materials are not designed or manufactured for use in implantation in the human body or in contact with internal body fluids or tissues. Equistar makes no representation, promise, express warranty or implied warranty concerning the suitability of these materials for use in implantation in the human body or in contact with internal body tissues or fluids.

More detailed safety and disposal information on our products is contained in the Material Safety Data Sheet (MSDS). All users of our products are urged to retain and use the MSDS. A MSDS is automatically distributed upon purchase/order execution. You may request an advance or replacement copy by calling our Customer Service Department at 281-997-5023.



Third Coast Chemicals
 PO Box 239
 Pearland, TX 77588
www.3cchemicals.com